

NUTZWERTLISTE

LIEGENSCHAFT SALZBURG
ST.JULIENSTR. 2 / GEBIRGSJÄGERPL. 1
BV. SALZACHKAI

NENNER X = ~~48~~.172



TOP	LAGE	WIDMUNG	FLÄCHE	BEWERTUNG	NUTZWEERT	SUMME NW.	ANTEIL
ÜBERTRAG						1753	
007/008	EG	Geschäft	559,79	1,3	728		
Note	EG	Vorplatz 587,16	3,21	0,2	1		
	1.UG	Abstellr. 13	24,16	0,6	15		
	1.UG	KFZ-A.E1 10	135,90	0,4	54	728	1402
	1.UG	KFZ-A.E2 4	48,76	0,4	20	818	1636/x
		79,585224 1.00			3,613	3,613	3,421
✓ 009	EG	Geschäft 40,90	39,27	1,3	51		
Passagenfl.	EG		1,63	0,2	1		104
1.UG	1.UG	KFZ-A.B 275	11,77	0,4	5	57	114/x
					2,052	2,052	2,052
✓ 010	EG	Geschäft 157,77	155,61	1,3	202		
2 Passagenfl.	EG		2,18	0,2	1		406
1.UG	1.UG	KFZ-A.P 4	52,42	0,4	21	224	448/x
					2,099	2,099	2,937
✓ 011	EG	Geschäft 88,84	85,86	1,3	112		
Passagenfl.	EG		3,05	0,2	1		
1.UG	1.UG	KFZ-A.01 1	28,52	0,4	11		226
1.UG	1.UG	KFZ-A.02 2	28,72	0,4	11	135	270/x
					6,51	2,505	2,505
✓ 012	EG	Geschäft 107,14	193,38	1,3	251		
2 Passagenfl.	EG		3,81	0,2	1	252	504/x
		+ AP W=5 Pk.			2,1412	2,1412	1,054
✓ 013	EG	Geschäft	64,71	1,3	84		
Passagenfl.	EG		3,05	0,2	1		170
1.UG	1.UG	KFZ-A.M 1	16,52	0,4	7	92	184/x
					2,403	2,415	2,585
✓ 014	EG	Geschäft	66,40	1,3	86		172
1.UG	1.UG	KFZ-A.k 2	24,00	0,4	10	96	192/x
		10,400% Wa + Kanal			2,424	2,423	2,423
			1552,72		0=	3427	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWERT	SUMME NW.	ANTEIL
ÜBERTRAG						23013	
✓1101	11.OG	Typ R, 5 RM-WHG	113,94	1,0	114		
		AR	2,26	0,3	1		
		Log.	4,34	0,5	2		
		Terr.	357,05	0,1	36	153	
	2.UG	PKWA.46	16,52	0,4	7		
	2.UG	PKWA.47	16,52	0,4	7	167	334/x ✓
			510,63				
✓1102	11.OG	Typ Q, SW, 1 RM-WHG	24,30	1,0	24		
		AR	2,26	0,3	1		
		Terr.	12,82	0,2	3	28	
	2.UG	PKWA.3	14,35	0,4	6	34	68/x ✓
✓1103	11.OG	Typ Q, SW, 2 RM-WHG	47,98	1,0	48		
		AR	2,26	0,3	1		
		Terr.	33,80	0,2	7	56	
	2.UG	PKWA.5	14,35	0,4	6	62	124/x ✓
✓1104	11.OG	Typ S, 4 RM-WHG	131,76	1,0	132		
		AR	2,03	0,3	1		
		Terr.	141,72	0,1	14	147	
	2.UG	PKWA.102 neu 418 Dng	17,81	0,4	7 ✓ neu 418		
	2.UG	PKWA.104; neu 340	15,23	0,4	(6)	160	320/x ✓
					-7	153	306
✓1105	11.OG	Typ L, 2 RM-WHG	65,92	1,0	66		
		AR	2,26	0,3	1		
		Balk.	16,79	0,3	5	72	
	2.UG	PKWA.49	19,60	0,4	8	80	160/x ✓
✓1106	11.OG	Typ M, 1 RM-WHG	28,83	1,0	29		
		AR	2,19	0,3	1		
		Balk.	3,32	0,3	1	31	62/x ✓
		f 58 neu 58					
✓1107	11.OG	Typ M', 1 RM-WHG	28,39	1,0	28		
		AR	2,26	0,3	1		
		Balk.	3,32	0,3	1	30	
	2.UG	PKWA.58	19,84	0,4	8	38	76/x ✓
			1167,02		0 =	23585	

[illegible]

[illegible]

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWERT	SUMME NW.	ANTEIL
ÜBERTRAG						9155	
✓ 301	3.OG	Typ G,2 RM-WHG	69,77	1,0	70		
		AR	3,08	0,3	1		
		Log.	5,27	0,5	3		
		Balk.	5,71	0,3	2	76	152
	2.UG	PKWA.113	13,50	0,4	5	81	162/x
✓ 302	3.OG	Typ A,2 RM-WHG	50,50	1,0	51		
		AR	2,46	0,3	1		
		Log.	2,69	0,5	1		
		Balk.	5,67	0,3	2	55	
	3.UG	PKWA.195	13,26	0,4	5	60	120/x
✓ 303	3.OG	Typ E,3 RM-WHG	65,19	1,0	65		
		AR	2,37	0,3	1		
		Balk.	17,40	0,3	5	71	
	3.UG	PKWA.141	13,78	0,4	6	77	154/x
✓ 304	3.OG	Typ D,3 RM-WHG	65,19	1,0	65		
		AR	2,37	0,3	1		
		Balk.	17,40	0,3	5	71	
	3.UG	PKWA.142	16,43	0,4	7	78	156/x
✓ 305	3.OG	Typ A, wie Top 302	61,32 50,50			55	
	3.UG	PKWA.197	13,26	0,4	5	60	120/x
✓ 306	3.OG	Typ A, wie Top 302	61,32 50,50			55	
	3.UG	PKWA.199	12,95	0,4	5	60	120/x
✓ 307	3.OG	Typ A, wie Top 302	61,32 50,50			55	
	3.UG	PKWA.201	12,95	0,4	5	60	120/x
			595,16		0=	9631	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWERTUNG	NUTZWERT	SUMME NW.	ANTEIL
ÜBERTRAG						9631	
✓ 308	3.OG	Typ A, wie Top 302	61,32 50,50			55	
	3.UG	PKWA.203 X	12,95	0,4	5	60	120/x ✓
✓ 309	3.OG	Typ A, wie Top 302	61,32 50,50			55	
	3.UG	PKWA.205 X	12,95	0,4	5	60	120/x ✓
✓ 310	3.OG	Typ D', 3 RM-WHG	65,19	1,0	65		
		AR	2,37	0,3	1		
		Balk. 81,06	17,40	0,3	5	71	
	3.UG	PKWA.151	16,45	0,4	7	78	156/x ✓
✓ 311	3.OG	Typ F, 2 RM-WHG	54,43	1,0	54		
		AR	1,96	0,3	1		
		Log. 63,72	3,32	0,5	2		
		Balk.	8,01	0,3	2	59	
	3.UG	PKWA.186 X	11,61	0,4	5	64	128/x ✓
✓ 312	3.OG	Typ H, 2 RM-WHG	71,95	1,0	72		
		AR	2,69	0,3	1		1/3 210
		Log.	3,35	0,5	2		o. AP
		Balk. 83,70	5,71	0,3	2	77	154
	2.UG	PKWA.117 X	14,88	0,4	6	83	166/x ✓
✓ 313	3.OG	Typ I, 2 RM-WHG	63,78	1,0	64		
		AR	2,69	0,3	1		
		Balk. 81,02	15,45	0,3	5	70	
	2.UG	PKWA.118 X	14,88	0,4	6	76	152/x ✓
✓ 314	3.OG	Typ J, 3 RM-WHG	72,45	1,0	72		
		AR	3,50	0,3	1		
		Balk. 93,65	17,70	0,3	5	78	
	3.UG	PKWA.152 X	16,45	0,4	7	85	170/x ✓
✓ 315	3.OG	Typ K, 2 RM-WHG	48,04	1,0	48		
		AR	3,20	0,3	1		
		Log. 59,67	2,69	0,5	1		
		Balk.	5,67	0,3	2	52	
	3.UG	PKWA.188 X	11,61	0,4	5	57	114/x ✓
			705,97		0=	10194	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						10194	
✓ 316	3.OG	Typ G1, 2 RM-WHG	73,58	1,0	74		
		AR	2,71	0,3	1		
		Log.	5,27	0,5	3		
		Balk. 87,27	5,71	0,3	2	80	
	2.UG	PKWA.114	13,50	0,4	5	85	170/x ✓
✓ 317	3.OG	Typ B, 1 RM-WHG	30,28	1,0	30		
		AR 1	2,64	0,3	1		
		Log. 38,52	2,23	0,5	1		
		Balk.	3,43	0,3	1	33	
	3.UG	PKWA.122	11,77	0,4	5	38	76/x ✓
✓ 318	3.OG	Typ B', 1 RM-WHG	30,28	1,0	30		
		AR 1	2,64	0,3	1		
		Log.	2,23	0,5	1		
		Balk. 38,52	3,43	0,3	1	33	
	3.UG	PKWA.124 / Top 1007	11,77	0,4	5	38	76/x ✓ 10 63
✓ 319	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.149 X	11,77	0,4	5	38	76/x ✓ 64
✓ 320	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.150 X	11,77	0,4	5	38	76/x ✓
✓ 321	3.OG	Typ C', 3 RM-WHG	74,70	1,0	75		
		AR	3,46	0,3	1		
		Balk. 96,07	17,92	0,3	5	81	
	3.UG	PKWA.245 X	22,80	0,4	9	90	180/x ✓
✓ 322	3.OG	Typ C, 3 RM-WHG	74,70	1,0	75		
		AR	3,46	0,3	1		
		Balk. 96,07	17,92	0,3	5	81	
X	3.UG	PKWA.247	19,38	0,4	8	89	178/x ✓
			536,51		0=	10610	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						10610	
✓ 323	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.228 ✓	11,48	0,4	5	38	76/x ✓
✓ 324	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.229 x	11,48	0,4	5	38	76/x ✓
✓ 325	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.230 x ✓	11,50	0,4	5	38	76/x ✓
✓ 326	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	EG	Vitrine 3	6,78	1,0	7		
	3.UG	PKWA.231 ✓	11,50	0,4	5	45	90/x ✓
✓ 327	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	2.UG	PKWA.21	12,00	0,4	5	38	76/x ✓
✓ 328	3.OG	Typ B2, 1 RM-WHG	28,47	1,0	28		
		AR	2,42	0,3	1		
		Log.	2,10	0,5	1		
		Balk. 36,42	3,43	0,3	1	31	
	3.UG	PKWA.232 ✓	12,31	0,4	5	36	72/x ✓
✓ 329	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.233 ✓	12,31	0,4	5	38	76/x ✓
✓ 330	3.OG	Typ B1, 1 RM-WHG	29,84	1,0	30		
		AR	2,64	0,3	1		
		Log.	2,20	0,5	1		
		Balk. 38,11	3,43	0,3	1	33	
	3.UG	PKWA.234 ✓	13,46	0,4	5	38	76/x ✓
✓ 331	3.OG	Typ B1', wie Top 330	32,11	2,84		33	
	3.UG	PKWA.235 x ✓	12,54	0,4	5	38	76/x ✓
✓ 332	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.171 ✓	14,26	0,4	6	39	78/x ✓
			512,32		0=	10996	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						10996	
✓ 401	4.OG	Typ G, wie Top 301	83,83	69,77		76	
	2.UG	PKWA.12 X	12,70	0,4	5	81	162/x
✓ 402	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.207 X	12,95	0,4	5	60	120/x
✓ 403	4.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.194 X	13,26	0,4	5	76	152/x
✓ 404	4.OG	Typ D, wie Top 304	84,96	65,19		71	
	3.UG	PKWA.196 y	13,26	0,4	5	76	152/x
✓ 405	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.209 X	12,44	0,4	5	60	120/x
✓ 406	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.211 x.	11,42	0,4	5	60	120/x
✓ 407	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.213 X	12,95	0,4	5	60	120/x
✓ 408	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.215 X	12,95	0,4	5	60	120/x
✓ 409	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.217 X	12,95	0,4	5	60	120/x
✓ 410	4.OG	Typ D', wie Top 310	84,96	65,19		71	
	3.UG	PKWA.241	16,23	0,4	6	77	154/x
✓ 411	4.OG	Typ F, wie Top 311	67,72	54,43		59	
	3.UG	PKWA.249	13,72	0,4	5	64	128/x
✓ 412	4.OG	Typ H, wie Top 312	83,70	71,95		77	
	2.UG	PKWA.11 X	12,70	0,4	5	82	164/x
			1015,58		0=	11812	

BAUVORHABEN S A L Z A C H K A I
N U T Z W E R T - L I S T E

NENNER X = 48.172

12

I TOP	LAGE	WIDMUNG	FLÄCHE	BEWE TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						11812	
✓ 413	4.OG	Typ I, wie Top 313	81,92	63,78		70	
	2.UG	PKWA.10 x	12,70	0,4	5	75	150/x ✓
✓ 414	4.OG	Typ J, wie Top 314	93,65	72,45		78	
	3.UG	PKWA.243 172	16,23	0,4	6	84	168/x ✓
✓ 415	4.OG	Typ K, wie Top 315	59,60	48,04		52	
	3.UG	PKWA.250	13,72	0,4	5	57	114/x ✓
✓ 416	4.OG	Typ G1, wie Top 316	87,27	73,58		80	
	2.UG	PKWA.9 x	12,70	0,4	5	85	170/x ✓
X							
✓ 417	4.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.253 x	11,00	0,4	4	37	74/x ✓
✓ 418	4.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.254 x	11,00	0,4	4	37	74/x ✓
		AP 102 x - Top 1100			+	40	80
✓ 419	4.OG	Typ B, wie Top 317	38,58	30,28		33	
	2.UG	PKWA.19	12,00	0,4	5	38	76/x ✓
✓ 420	4.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.184 x	10,67	0,4	4	37	74/x ✓
✓ 421	4.OG	Typ C', wie Top 321	96,08	74,70		81	
	3.UG	PKWA.237 x	14,36	0,4	6	87	174/x ✓
✓ 422	4.OG	Typ C, wie Top 322	96,08	74,70		81	
X	3.UG	PKWA.239 x	14,36	0,4	6	87	174/x ✓
✓ 423	4.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.242 x 243	14,26	0,4	6	39	78/x ✓
✓ 424	4.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.173	13,00	0,4	5	38	76/x ✓
			902,08		0=	12513	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWEPT	SUMME NW.	ANTEIL
ÜBERTRAG						12815	
✓ 501	5.0G	Typ G, wie Top 301	83,83	69,77		76	
	2.UG	PKWA.1 ✓	14,85	0,4	6	82	164/x ✓
✓ 502	5.0G	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.198	12,95	0,4	5	60	120/x ✓
✓ 503	5.0G	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.240 y	16,52	0,4	7	78	156/x ✓
✓ 504	5.0G	Typ D, wie Top 304	84,96	65,19		71	
	3.UG	PKWA.242	16,52	0,4	7	78	156/x ✓
✓ 505	5.0G	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.219 x	12,95	0,4	5	60	120/x ✓
✓ 506	5.0G	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.221	12,95	0,4	5	60	120/x ✓
✓ 507	5.0G	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.223 x	12,95	0,4	5	60	120/x ✓
✓ 508	5.0G	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.225 y	12,95	0,4	5	60	120/x ✓
✓ 509	5.0G	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.227 y	12,95	0,4	5	60	120/x ✓
✓ 510	5.0G	Typ D', wie Top 310	84,96	65,19		71	
✓	3.UG	PKWA.180 y	16,52	0,4	7	78	156/x ✓
✓ 511	5.0G	Typ F, wie Top 311	67,72	54,43		59	
✓	3.UG	PKWA.200	12,95	0,4	5	64	128/x ✓
✓ 512	5.0G	Typ H, wie Top 312	83,70	71,95		77	
	2.UG	PKWA.8 y	12,70	0,4	5	82	164/x ✓
			1025,81		0=	13637	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWE TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						13637	
✓ 513	5.OG	Typ I, wie Top 313	81,92	63,78		70	
	2.UG	PKWA.7 X	12,70	0,4	5	75	150/x
✓ 514	5.OG	Typ J, wie Top 314	93,55	72,45		78	
	3.UG	PKWA.244	14,56	0,4	6	84	168/x
✓ 515	5.OG	Typ K, wie Top 315	59,50	48,04		52	
	3.UG	PKWA.202 X	12,95	0,4	5	57	114/x
✓ 516	5.OG	Typ G1, wie Top 316	87,27	73,58		80	
X	2.UG	PKWA.2 X	14,85	0,4	6	86	172/x
✓ 517	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.204 X	12,95	0,4	5	38	76/x
✓ 518	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.206 X	12,95	0,4	5	38	76/x
✓ 519	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.208 X	12,44	0,4	5	38	76/x
✓ 520	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.210 X	11,42	0,4	5	38	76/x
✓ 521	5.OG	Typ C', wie Top 321	96,08	74,70		81	
X	3.UG	PKWA.246 X	14,56	0,4	6	87	174/x
✓ 522	5.OG	Typ C, wie Top 322	96,08	74,70		81	
X	3.UG	PKWA.248 X	14,56	0,4	6	87	174/x
✓ 523	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.212 X	12,95	0,4	5	38	76/x
✓ 524	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.214 X	12,95	0,4	5	38	76/x
			9 05,92		0=	14341	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWEERT	SUMME NW.	ANTEIL
ÜBERTRAG						14643	
✓601	6.OG	Typ G, wie Top 301	82,83	69,77		76	
X	2.UG	PKWA.72 X	12,95	0,4	5	81	162/x ✓
✓602	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.74	12,44	0,4	5	60	120/x ✓
✓603	6.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.185 83	16,52	0,4	7	78	156/x ✓
		70706			51	76	152
✓604	6.OG	Typ D, wie Top 304	84,96	65,19		71	
X	3.UG	PKWA.187 X	16,52	0,4	7	78	156/x ✓
✓605	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.76 X	11,42	0,4	5	60	120/x ✓
✓606	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.78	12,95	0,4	5	60	120/x ✓
✓607	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.80	12,95	0,4	5	60	120/x ✓
✓608	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.82 X	12,95	0,4	5	60	120/x ✓
✓609	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.84 X	12,95	0,4	5	60	120/x ✓
✓610	6.OG	Typ D', wie Top 310	84,96	65,19		71	
	3.UG	PKWA.181	16,52	0,4	7	78	156/x ✓
✓611	6.OG	Typ F, wie Top 311	67,72	54,43		59	
	2.UG	PKWA.86	12,95	0,4	5	64	128/x ✓
✓612	6.OG	Typ H, wie Top 312	83,70	71,95		77	
	2.UG	PKWA.88 X	12,95	0,4	5	82	164/x ✓
			1022,12		U=	15464	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						15464	
✓613	6.OG	Typ I, wie Top 313	81,92	63,78		70	
X	2.UG	PKWA.90 X	12,95	0,4	5	75	150/x
✓614	6.OG	Typ J, wie Top 314	93,65	72,45		78	
	3.UG	PKWA.105	14,36	0,4	6	84	168/x
✓615	6.OG	Typ K, wie Top 315	59,60	48,04		52	
	3.UG	PKWA.165	12,00	0,4	5	57	114/x
✓616	6.OG	Typ G1, wie Top 316	87,27	73,58		80	
X	2.UG	PKWA.92 X	11,93	0,4	5	85	170/x
✓617	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.179	12,00	0,4	5	38	76/x
✓618	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.178	12,00	0,4	5	38	76/x
✓619	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.177 X	12,00	0,4	5	38	76/x
✓620	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.153 X	12,00	0,4	5	38	76/x
X ✓621	6.OG	Typ C', wie Top 321	96,08	74,70		81	
	3.UG	PKWA.238 X	15,23	0,4	6	87	174/x
X ✓622	6.OG	Typ C, wie Top 322	96,08	74,70		81	
	3.UG	PKWA.236 X	17,81	0,4	7	88	176/x
✓623	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.154	12,00	0,4	5	38	76/x
✓624	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.155	12,00	0,4	5	38	76/x
			902,36		0=	16168	

[illegible]

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						16470	
✓701	7.OG	Typ G, wie Top 301	83,83	69,77		76	
X	2.UG	PKWA.77 x	11,42	0,4	5	81	162/x
✓702	7.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.79	12,95	0,4	5	60	120/x
✓703	7.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.189 ^{← Top 705}	12,88	0,4	5	76	152/x
		51 x					
✓704	7.OG	Typ D, wie Top 304	84,96	65,19		71	
	3.UG	PKWA.190	12,88	0,4	5	76	152/x
✓705	7.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.81 ¹⁸⁹	12,95	0,4	5	60	120/x
		^{← Top 703}					
✓706	7.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.83 ¹⁸⁵	12,95	0,4	5	60	120/x
		^{← Top 703}					
✓707	7.OG	Typ A, wie Top 302	61,32	50,50		55	
X	2.UG	PKWA.85 x	12,95	0,4	5	60	120/x
✓708	7.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.87 x	12,95	0,4	5	60	120/x
✓709	7.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.89 x	12,95	0,4	5	60	120/x
✓710	7.OG	Typ D', wie Top 310	84,96	65,19		71	
	2.UG	PKWA.45	12,00	0,4	5		
	2.UG	PKWA.64	12,95		5	81	162/x
✓711	7.OG	Typ F, wie Top 311	67,72	54,63		59	
	2.UG	PKWA.37 x	14,26	0,4	6	65	130/x
✓712	7.OG	Typ H, wie Top 312	83,40	71,95		77	
	2.UG	PKWA.91 x	12,95	0,4	5	82	164/x
			1025,09			0 = 17291	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						17291	
✓713/	7.OG	Typ I, wie Top 313	81,92	63,72		70	
X	2.UG	PKWA.98 62 X Com 2.UG Top 313	12,95	0,4	5	75	150/x ✓
✓714	7.OG	Typ J, wie Top 314	92,65	72,45		78	
	3.UG	PKWA.198 X 60 1.UG 198 2.UG Top 314	28,52	0,4	11	89	178/x ✓
					5	23	146
✓715	7.OG	Typ K, wie Top 315	59,60	48,04		52	
	3.UG	PKWA.126 66 1.UG 126	13,59	0,4	5	57	114/x ✓
✓716	7.OG	Typ G1, wie Top 316	87,27	73,58		80	
	2.UG	PKWA.70 X	12,95	0,4	5	85	170/x ✓
✓717	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.164 X	12,48	0,4	5	38	76/x ✓
✓718	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.166	12,48	0,4	5	38	76/x ✓
✓719	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.168	12,48	0,4	5	38	76/x ✓
✓720	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.170 X	12,48	0,4	5	38	76/x ✓
✓721	7.OG	Typ C', wie Top 321	96,08	74,70		81	
	2.UG	PKWA.109 ✓	14,56	0,4	6	87	174/x ✓
✓722	7.OG	Typ C, wie Top 322	96,08	74,70		81	
X	2.UG	PKWA.110 X	14,56	0,4	6	87	174/x ✓
✓723	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.121	14,35	0,4	6	39	78/x ✓
✓724	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.123	14,35	0,4	6	39	78/x ✓
			924,83		0=	18001	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						18305	
✓ 801	8.OG	Typ G, wie Top 301	83,83	69,77		76	
✓	2.UG	PKWA.61 X	13,26	0,4	5	81	162/x
✓ 802	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.63	13,26	0,4	5	60	120/x
✓ 803	8.OG	Typ U, 2 RM-WHG	52,12	1,0	52		
		AR	2,37	0,3	1		
		Balk.	14,43	0,3	4	57	
	2.UG	PKWA.65	12,95	0,4	5	82	164/x
✓ 804	8.OG	Typ T, 3 RM-WHG	78,80	1,0	79		
		AR	2,37	0,3	1		
		Balk.	20,37	0,3	6	86	
	2.UG	PKWA.103	14,36	0,4	6	92	184/x
✓ 805	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.67 X	12,95	0,4	5	60	120/x
✓ 806	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.69 ✓	12,95	0,4	5	60	120/x
✓ 807	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.71 112	12,95	0,4	5	60	120/x
✓ 808	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.73	12,95	0,4	5	60	120/x
✓ 809	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.75	12,44	0,4	5	60	120/x
✓ 810	8.OG	Typ T', SW, 3 RM-WHG	78,19	1,0	78		
		AR	2,37	0,3	1		
		Balk.	20,37	0,3	6	85	
	2.UG	PKWA.77 71	13,72	0,4	5	90	180/x
			854,93		0=	19010	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWEERT	SUMME NW.	ANTEIL
ÜBERTRAG						19010	
✓ 811	8.OG	Typ V, 1 RM-WHG	41,36	1,0	41		
		AR	1,96	0,3	1		
		Log.	3,32	0,5	2		
		Balk.	5,04	0,3	2	46	
	3.UG	PKWA.130	13,59	0,4	5	51	102/x ✓
✓ 812	8.OG	Typ H, wie Top 312	83,70 71,95			77	
	2.UG	PKWA.52 x	11,61	0,4	5	82	164/x ✓
✓ 813	8.OG	Typ I, SW, 3 RM-WHG	63,26	1,0	63		
		AR	2,69	0,3	1		
		Balk.	15,45	0,3	5	69	
	2.UG	PKWA.192	19,84	0,4	8	77	154/x ✓
✓ 814	8.OG	Typ J, SW, 2 RM-WHG	72,64	1,0	73		
		AR	3,50	0,3	1		
		Balk.	17,70	0,3	5	79	
	3.UG	PKWA.191	19,84	0,4	8	87	174/x ✓
✓ 815	8.OG	Typ K, wie Top 315	59,60 48,04			52	
	3.UG	PKWA.128	13,59	0,4	5	57	114/x ✓
✓ 816	8.OG	Typ G1, wie Top 316	87,27 73,58			80	
X	2.UG	PKWA.54 x	11,61	0,4	5	85	170/x ✓
✓ 817	8.OG	Typ B, wie Top 317	38,58 30,28			33	
	2.UG	PKWA.96	11,50	0,4	5	38	76/x ✓
✓ 818	8.OG	Typ B', wie Top 318	38,58 30,28			33	
	2.UG	PKWA.97	11,50	0,4	5	38	76/x ✓
✓ 819	8.OG	Typ B, wie Top 317	38,58 30,28			33	
	2.UG	PKWA.98	12,31	0,4	5	38	76/x ✓
✓ 820	8.OG	Typ B', wie Top 318	38,58 30,28			33	
	3.UG	PKWA.132	13,59	0,4	5	38	76/x ✓
			750,79			0 = 19601	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WEPT	SUMME NW.	ANTEIL
ÜBERTRAG						19601	
✓ 821	8.OG	Typ C', wie Top 321	96,08	74,70		81	
	2.UG	PKWA.17 ✓	16,45	0,4	7	88	176/x ✓
✓ 822	8.OG	Typ C, wie Top 322	96,08	74,70		81	
	2.UG	PKWA.18	16,45	0,4	7	88	176/x ✓
✓ 823	8.OG	Typ B, wie Top 317	38,58	30,28		33	
/	3.UG	PKWA.134 ✓	13,59	0,4	5	38	76/x ✓
✓ 824	8.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.136 ✓	13,59	0,4	5	38	76/x ✓
✓ 825	8.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.143	13,59	0,4	5	38	76/x ✓
✓ 826	8.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.144 ✓	13,59	0,4	5	38	76/x ✓
✓ 827	8.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.145	13,59	0,4	5	38	76/x ✓
✓ 828	8.OG	Typ B2, wie Top 328	36,42	28,47		31	
	3.UG	PKWA.146	13,59	0,4	5	36	72/x ✓
✓ 829	8.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.147 ✓	13,59	0,4	5	38	76/x ✓
✓ 830	8.OG	Typ B1, wie Top 330	38,11	29,84		33	
	3.UG	PKWA.148 ✓	13,59	0,4	5	38	76/x ✓
✓ 831	8.OG	Typ B1', wie Top 330	38,11	29,84		33	
	3.UG	PKWA.255 ✓	14,88	0,4	6	39	78/x ✓
✓ 832	8.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.256	14,88	0,4	6	39	78/x ✓
			746,24		0=	20157	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						20157	
✓901	9.OG	Typ G, wie Top 301	82,83	69,77		76	
	2.UG	PKWA.22 X	11,85	0,4	5	81	162/x ✓
✓902	9.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.23 X	11,85	0,4	5	60	120/x ✓
✓903	9.OG	Typ U, wie Top 803	68,92	52,12		57	
	2.UG	PKWA.24	11,85	0,4	5	62	124/x ✓
✓904	9.OG	Typ T, wie Top 804	104,54	78,80		86	
	2.UG	PKWA.108	14,56	0,4	6	92	184/x ✓
✓905	9.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.48	13,44	0,4	5	60	120/x ✓
✓906	9.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.25	12,00	0,4	5	60	120/x ✓
✓907	9.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.27 X	12,00	0,4	5	60	120/x ✓
✓908	9.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.29	12,00	0,4	5	60	120/x ✓
✓909	9.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.31 X	12,00	0,4	5	60	120/x ✓
✓910	9.OG	Typ T', SW, 3 RM-WHG	78,19	1,0	78		
		AR	2,37	0,3	1		
		Balk.	20,37	0,3	6	85	
	2.UG	PKWA.106	16,52	0,4	7	92	184/x ✓
✓911	9.OG	Typ V, wie Top 811	51,68	41,36		46	
	2.UG	PKWA.4	11,77	0,4	5	51	102/x ✓
			914,66		0=	20895	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWEERT	SUMME NW.	ANTEIL
ÜBERTRAG						21305	
✓ 919	9.OG	Typ C', 3 RM-WHG	74,70	1,0	75		
		AR	1,75	0,3	1		
		Balk.	17,92	0,3	5	81	
	2.UG	PKWA.80 <i>Command</i>	13,26	0,4	5	86	172/x
		<i>36 Top 711</i>			-5	81	162/x
✓ 920	9.OG	Typ C, wie Top 919	94,37 74,70			81	
	2.UG	PKWA.82 <i>93</i>	13,26	0,4	5	86	172/x
		<i>Top 713</i>					
✓ 921	9.OG	Typ B, wie Top 915	37,69 30,28			33	
	2.UG	PKWA.94 <i>λ</i>	11,48	0,4	5	38	76/x
✓ 922	9.OG	Typ B', wie Top 915	37,69 30,28			33	
	2.UG	PKWA.95	11,48	0,4	5	38	76/x
✓ 923	9.OG	Typ B, wie Top 915	37,69 30,28			33	
	2.UG	PKWA.99 <i>λ</i>	12,31	0,4	5	38	76/x
✓ 924	9.OG	Typ B', wie Top 915	37,69 30,28			33	
	2.UG	PKWA.100 <i>λ</i>	13,46	0,4	5	38	76/x
✓ 925	9.OG	Typ B, wie Top 915	37,69 30,28			33	
	2.UG	PKWA.101	12,54	0,4	5	38	76/x
✓ 926	9.OG	Typ B2, 1 RM-WHG	28,47	1,0	28		
		AR	1,75	0,3	1		
		Log.	2,10	0,5	1		
		Balk.	3,43	0,3	1	31	
	2.UG	PKWA.38 <i>30 15</i>	14,26	0,4	6	37	74/x
✓ 927	9.OG	Typ B, wie Top 915	37,69 30,28			33	
	2.UG	PKWA.39 <i>λ</i>	13,00	0,4	5	38	76/x
✓ 928	9.OG	Typ B1, 1 RM-WHG	29,84	1,0	30		
		AR	1,67	0,3	1		
		Log.	2,20	0,5	1		
		Balk.	3,43	0,3	1	33	
	2.UG	PKWA.40 <i>λ</i>	13,00	0,4	5	38	76/x
			615,82		0=	21780	

29

[illegible]

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWEERT	SUMME NW.	ANTEIL
ÜBERTRAG						21856	
✓1001	10.0G	Typ G2, 2 RM-WHG	66,62	1,0	67		
		AR	3,08	0,3	1		
		Log.	3,60	0,5	2		
		Balk.	11,40	0,3	3	73	
	2.UG	PKWA.26 ✓	12,48	0,4	5	78	156/x ✓
✓1002	10.0G	Typ A, wie Top 302	61,32 50,50			55	
	2.UG	PKWA.28	12,48	0,4	5	60	120/x ✓
✓1003	10.0G	Typ E, wie Top 303	84,96 65,19			71	
	2.UG	PKWA.53	16,52	0,4	7	78	156/x ✓
✓1004	10.0G	Typ D, SW, 2 RM-WHG	65,20	1,0	65		
		AR	2,37	0,3	1		
		Balk.	17,40	0,3	5	71	
	2.UG	PKWA.55	12,88	0,4	5	76	152/x ✓
✓1005	10.0G	Typ A, wie Top 302	61,32 50,50			55	
	2.UG	PKWA.56	12,88	0,4	5	60	120/x ✓
✓1006	10.0G	Typ A, wie Top 302	51,32 50,50			55	
	2.UG	PKWA.30 X	12,48	0,4	5	60	120/x ✓
✓1007	10.0G	Typ A, wie Top 302	61,32 50,50			55	
	2.UG	PKWA.32 → 32 000	12,48	0,4	5	60	120/x ✓
✓1008	10.0G	Typ A, wie Top 302	61,32 50,50			55	
	2.UG	PKWA.34 x 50 200	12,48	0,4	5	60	120/x ✓
		36 126 200			5		
✓1009	10.0G	Typ A, wie Top 302	61,32 50,50			55	
X	2.UG	PKWA.36 126 314	12,48	0,4	5	60	120/x ✓
		+ PKU R 126 314 345			5	65	130
✓1010	10.0G	Typ T, wie Top 804	101,54 78,80			86	
	2.UG	PKWA.107	16,52	0,4	7	93	186/x ✓
			557,72		0=	22541	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WEPT	SUMME NW.	ANTEIL
ÜBERTRAG						22541	
✓1011	10.OG	Typ V, wie Top 811	51,68 41,36			46	
	2.UG	PKWA.50	10,67	0,4	4	50	100/x ✓
✓1012	10.OG	Typ L, 2 RM-WHG	65,92	1,0	66		
		AR	2,82	0,3	1		
		Balk.	16,79	0,3	5	72	
	2.UG	PKWA.111	13,72	0,4	5	77	154/x ✓
✓1013	10.OG	Typ M, 1 RM-WHG	28,83	1,0	29		
		AR	2,72	0,3	1		
		Balk.	3,32	0,3	1	31	
	2.UG	PKWA.115	11,00	0,4	4	35	70/x ✓
✓1014	10.OG	Typ M', 1 RM-WHG	28,39	1,0	28		
		AR	2,82	0,3	1		
		Balk.	3,32	0,3	1	30	
	2.UG	PKWA.116 ✓	11,00	0,4	4	34	68/x ✓
✓1015	10.OG	Typ N, 3 RM-WHG	69,46	1,0	69		
		AR	2,82	0,3	1		
		Log.	1,67	0,5	1		
		Balk.	14,97	0,3	4	75	
	2.UG	PKWA. 68 68 ✓	12,95	0,4	5	80	160/x ✓
✓1016	10.OG	Typ P1, 3 RM-WHG	65,22	1,0	65		
		AR	2,82	0,3	1		
		Terr.	48,01	0,2	10	76	
	2.UG	PKWA. 66 315 ✓	12,95	0,4	5	81	162/x ✓
✓1017	10.OG	Typ 01, 2 RM-WHG	43,55	1,0	44		
		AR	2,82	0,3	1		
		Terr.	30,29	0,2	6	51	
	3.UG	PKWA.182	13,44	0,4	5	56	112/x ✓
✓1018	10.OG	Typ 01, wie Top 1017	71,66 43,55			51	
	3.UG	PKWA.183	19,60	0,4	8	59	118/x ✓
			670,23		0=	23013	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						23013	
✓1101	11.OG	Typ R, 5 RM-WHG	113,94	1,0	114		
		AR	2,26	0,3	1		
		Log.	4,34	0,5	2		
		Terr.	357,05	0,1	36	153	
	2.UG	PKWA.46	16,52	0,4	7		
	2.UG	PKWA.47	16,52	0,4	7	167	334/x ✓
			510,63				
✓1102	11.OG	Typ Q, SW, 1 RM-WHG	24,30	1,0	24		
		AR	2,26	0,3	1		
		Terr.	12,82	0,2	3	28	
	2.UG	PKWA.3	14,35	0,4	6	34	68/x ✓
✓1103	11.OG	Typ Q, SW, 2 RM-WHG	47,98	1,0	48		
		AR	2,26	0,3	1		
		Terr.	33,80	0,2	7	56	
	2.UG	PKWA.5	14,35	0,4	6	62	124/x ✓
✓1104	11.OG	Typ S, 4 RM-WHG	131,76	1,0	132		
		AR	2,03	0,3	1		
		Terr.	141,72	0,1	14	147	
	2.UG	PKWA.102 = neu 415 m²	17,81	0,4	7 ✓	2m 418	
	2.UG	PKWA.104: neu 340	15,23	0,4	(6)	160	320/x ✓
					-7	15	302
✓1105	11.OG	Typ L, 2 RM-WHG	65,92	1,0	66		
		AR	2,26	0,3	1		
		Balk.	16,79	0,3	5	72	
	2.UG	PKWA.49	19,60	0,4	8	80	160/x ✓
✓1106	11.OG	Typ M, 1 RM-WHG	28,83	1,0	29		
		AR	2,19	0,3	1		
		Balk.	3,32	0,3	1	31	62/x ✓
		OS: neu 50 m² neu 147 m²					
✓1107	11.OG	Typ M', 1 RM-WHG	28,39	1,0	28		
		AR	2,26	0,3	1		
		Balk.	3,32	0,3	1	30	
	2.UG	PKWA.58	19,84	0,4	8	38	76/x ✓
			116,702		0=	23585	

33

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEK TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						23845	
C 2 ✓	1.UG	Garage 202 (1)	14,35	0,6	9	9	18/x
C 3 ✓	1.UG	Garage 203 (1)	14,35	0,6	9	9	18/x
C 4 ✓	1.UG	Garage 204 (2)	25,18	0,6	15	15	30/x
C 5 ✓	1.UG	Garage 2106 (4)	50,36	0,6	30	30	60/x
C 6 ✓	1.UG	Garage 005 (15)	75,54	0,6	45	45	90/x
J 2 ✓	1.UG	Garage 022 (4) =Tombraum	50,33	0,6	30	30	60/x
(N) ✓	1.UG	Garage 017 (2)	39,68	0,6	24	24	48/x
(S) ✓	1.UG	Garage 021 (1)	23,31	0,6	14	14	28/x
(W) ✓	1.UG	Garage 012 (5)	61,08	0,6	37	37	74/x
(X) ✓	1.UG	Garage 04 (1)	17,81	0,6	11	11	22/x
59 ✓	2.UG	Garage Top 1106	28,52	0,6	17	17	34/x
37						24086	48172=x
400,51							
12.254,50							
* 15.276							
15.276							
154							
43.486							
* 14.316							
14.316							
154							
42.536							
42.536							

628/2

4

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						1753	
007/008	EG	Geschäft	559,79	1,3	728		
Hofe	EG	Vorplatz 587,16	3,21	0,2	1		
	1.UG	Abstellr. 133,-	24,16	0,6	15		
	1.UG	KFZ-A.E1 10	135,90	0,4	54	729	1458
	1.UG	KFZ-A.E2 4	48,76	0,4	20	818	1636/x
		79,585% 2H 1.06			3613	3,693	3,421
✓ 009	EG	Geschäft 40,90	39,27	1,3	51		
Passagenfl.	EG	Passagenfl.	1,63	0,2	1		104
1.UG	1.UG	KFZ-A.B 275	11,77	0,4	5	57	114/x
					2,252	2,252	2,238
✓ 010	EG	Geschäft 157,99	155,61	1,3	202		
2 Passagenfl.	EG	2 Passagenfl.	2,18	0,2	1		406
1.UG	1.UG	KFZ-A.P 4	52,42	0,4	21	224	448/x
					2,989	1,011	2,937
✓ 011	EG	Geschäft 88,91	85,86	1,3	112		
Passagenfl.	EG	Passagenfl.	3,05	0,2	1		
1.UG	1.UG	KFZ-A.01 1	28,52	0,4	11		226
1.UG	1.UG	KFZ-A.02 2	28,72	0,4	11	135	270/x
					6,595	9,605	2,565
✓ 012	EG	Geschäft 167,45	193,38	1,3	251		
2 Passagenfl.	EG	2 Passagenfl.	3,81	0,2	1	252	504/x
		+ AP W=50%			2,413	1,372	1,254
✓ 013	EG	Geschäft	64,71	1,3	84		
Passagenfl.	EG	Passagenfl. 67,76	3,05	0,2	1		170
1.UG	1.UG	KFZ-A.M 1	16,52	0,4	7	92	184/x
					2,406	9,415	2,325
✓ 014	EG	Geschäft	66,40	1,3	86		172
1.UG	1.UG	KFZ-A.k 2	24,00	0,4	10	96	192/x
		10,400% Wa + Kanal			2,424	2,433	0,403
			1552,72		0=	3427	

✓

[illegible]

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						6835	
102	1.OG	Büro	197,65	1,1	217		
DSH	1.OG	Abst.R.1 205,42	4,01	1,1	4		
	1.OG	Abst.R.2	3,76	1,1	4	305	
	1.UG	KFZ-A.H3 300	108,36	0,4	43	25	
	1.UG	KFZ-A.H4 6	91,95	0,4	37	305	610/x
		Doppelung Typ	-	-	-	299	592
✓ 103	1.OG	Büro 89,59	79,99	1,1	88		
Rollen	1.OG	Abst.R.	9,60	1,1	11		
SSB	2.UG	PKWA.51 1	16,52	0,4	7	106	212/x
✓ 104	1.OG	Büro	122,57	1,1	135		
Holzwerk	1.UG	KFZ-A.Y 2	27,44	0,4	11	146	292/x
✓ 106	1.OG	Geschäft	289,71	1,3	377		
Mittel	1.OG	Lager 287,64	38,78	1,3	50		
	1.OG	WC-Gruppe	9,15	1,3	12	439	878/x
107	1.OG	BPZ-Schule	741,80	1,1	816		
SB	1.OG	Lichthof	32,28	0,2	6		1604
	1.UG	KFZ-A.I1 6	72,87	0,4	29	851	1702/x
			1846,44		0=	8682	
							1312
		Tor 9,15 + JP 310	60,00		6	6	12
		913	60,00				

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						9155	
✓ 301	3.OG	Typ G,2 RM-WHG	69,77	1,0	70		
W		AR	3,08	0,3	1		
		Log.	5,27	0,5	3		
		Balk.	5,71	0,3	2	76	152
	2.UG	PKWA.113	13,50	0,4	5	81	162/x
✓ 302	3.OG	Typ A,2 RM-WHG	50,50	1,0	51		
		AR	2,46	0,3	1		
		Log.	2,69	0,5	1		
		Balk.	5,67	0,3	2	55	
	3.UG	PKWA.195	13,26	0,4	5	60	120/x
✓ 303	3.OG	Typ E,3 RM-WHG	65,19	1,0	65		
		AR	2,37	0,3	1		
		Balk.	17,40	0,3	5	71	
	3.UG	PKWA.141	13,78	0,4	6	77	154/x
✓ 304	3.OG	Typ D,3 RM-WHG	65,19	1,0	65		
		AR	2,37	0,3	1		
		Balk.	17,40	0,3	5	71	
	3.UG	PKWA.142	16,43	0,4	7	78	156/x
✓ 305	3.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.197	13,26	0,4	5	60	120/x
✓ 306	3.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.199	12,95	0,4	5	60	120/x
✓ 307	3.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.201	12,95	0,4	5	60	120/x
			595,16		0=	9631	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWEERT	SUMME NW.	ANTEIL
ÜBERTRAG						9631	
✓ 308	3.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.203 X	12,95	0,4	5	60	120/x
✓ 309	3.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.205 X	12,95	0,4	5	60	120/x
✓ 310	3.OG	Typ D', 3 RM-WHG	65,19	1,0	65		
		AR	2,37	0,3	1		
		Balk. 87,96	17,40	0,3	5	71	
	3.UG	PKWA.151	16,45	0,4	7	78	156/x
✓ 311	3.OG	Typ F, 2 RM-WHG	54,43	1,0	54		
		AR	1,96	0,3	1		
		Log. 67,72	3,32	0,5	2		
		Balk.	8,01	0,3	2	59	112
	3.UG	PKWA.186 X	11,61	0,4	5	64	128/x
✓ 312	3.OG	Typ H, 2 RM-WHG	71,95	1,0	72		
		AR	2,69	0,3	1		H3 Dep.
		Log.	3,35	0,5	2		o. AP
		Balk. 83,70	5,71	0,3	2	77	154
	2.UG	PKWA.117 X	14,88	0,4	6	83	166/x
✓ 313	3.OG	Typ I, 2 RM-WHG	63,78	1,0	64		
		AR	2,69	0,3	1		
		Balk. 81,22	15,45	0,3	5	70	
	2.UG	PKWA.118 X	14,88	0,4	6	76	152/x
✓ 314	3.OG	Typ J, 3 RM-WHG	72,45	1,0	72		
		AR	3,50	0,3	1		
		Balk. 93,65	17,70	0,3	5	78	
	3.UG	PKWA.152 X	16,45	0,4	7	85	170/x
✓ 315	3.OG	Typ K, 2 RM-WHG	48,04	1,0	48		
		AR	3,20	0,3	1		
		Log. 59,40	2,69	0,5	1		
		Balk.	5,67	0,3	2	52	
	3.UG	PKWA.188 X	11,61	0,4	5	57	114/x
						705,97	0= 10194

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						10194	
✓ 316	3.OG	Typ G1, 2 RM-WHG	73,58	1,0	74		
		AR	2,71	0,3	1		
		Log.	5,27	0,5	3		
		Balk.	5,71	0,3	2	80	
	2.UG	PKWA.114	13,50	0,4	5	85	170/x
✓ 317	3.OG	Typ B, 1 RM-WHG	30,28	1,0	30		
		AR 1	2,64	0,3	1		
		Log.	2,23	0,5	1		
		Balk.	3,43	0,3	1	33	
	3.UG	PKWA.122	11,77	0,4	5	38	76/x
✓ 318	3.OG	Typ B', 1 RM-WHG	30,28	1,0	30		
		AR 1	2,64	0,3	1		
		Log.	2,23	0,5	1		
		Balk.	3,43	0,3	1	33	
	3.UG	PKWA.124/Top 1007	11,77	0,4	5	38	76/x 10 66
✓ 319	3.OG	Typ B, wie Top 317	28,58	30,28		33	
	3.UG	PKWA.149 X	11,77	0,4	5	38	76/x 66
✓ 320	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.150 X	11,77	0,4	5	38	76/x
✓ 321	3.OG	Typ C', 3 RM-WHG	74,70	1,0	75		
		AR	3,46	0,3	1		
		Balk.	17,92	0,3	5	81	
	3.UG	PKWA.245 X	22,80	0,4	9	90	180/x
✓ 322	3.OG	Typ C, 3 RM-WHG	74,70	1,0	75		
		AR	3,46	0,3	1		
		Balk.	17,92	0,3	5	81	
	3.UG	PKWA.247	19,38	0,4	8	89	178/x
			536,51		0=	10610	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWERT	SUMME NW.	ANTEIL
ÜBERTRAG						10610	
✓ 323	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.228 ✓	11,48	0,4	5	38	76/x ✓
✓ 324	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.229 ✓	11,48	0,4	5	38	76/x ✓
✓ 325	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.230 ✓	11,50	0,4	5	38	76/x ✓
✓ 326	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	EG	Vitrine 3	6,78	1,0	7		
	3.UG	PKWA.231 ✓	11,50	0,4	5	45	90/x ✓
✓ 327	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	2.UG	PKWA.21	12,00	0,4	5	38	76/x ✓
✓ 328	3.OG	Typ B2, 1 RM-WHG	28,47	1,0	28		
		AR	2,42	0,3	1		
		Log.	2,10	0,5	1		
		Balk. ^{36,42}	3,43	0,3	1	31	
	3.UG	PKWA.232 ✓	12,31	0,4	5	36	72/x ✓
✓ 329	3.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.233 ✓	12,31	0,4	5	38	76/x ✓
✓ 330	3.OG	Typ B1, 1 RM-WHG	29,84	1,0	30		
		AR	2,64	0,3	1		
		Log.	2,20	0,5	1		
		Balk. ^{38,11}	3,43	0,3	1	33	
	3.UG	PKWA.234 ✓	13,46	0,4	5	38	76/x ✓
✓ 331	3.OG	Typ B1', wie Top 330	38,11	28,84		33	
	3.UG	PKWA.235 ✓	12,54	0,4	5	38	76/x ✓
✓ 332	3.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.171	14,26	0,4	6	39	78/x ✓
			512,32		0=	10996	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWE- TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						10996	
✓ 401	4.OG	Typ G, wie Top 301	82,83	69,77		76	
	2.UG	PKWA.12 X	12,70	0,4	5	81	162/x ✓
✓ 402	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.207 X	12,95	0,4	5	60	120/x ✓
✓ 403	4.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.194 X	13,26	0,4	5	76	152/x ✓
✓ 404	4.OG	Typ D, wie Top 304	84,96	65,19		71	
	3.UG	PKWA.196 y	13,26	0,4	5	76	152/x ✓
✓ 405	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.209 X	12,44	0,4	5	60	120/x ✓
✓ 406	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.211 X.	11,42	0,4	5	60	120/x ✓
✓ 407	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.213 X	12,95	0,4	5	60	120/x ✓
✓ 408	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.215 X	12,95	0,4	5	60	120/x ✓
✓ 409	4.OG	Typ A, wie Top 302	61,32	50,50		55	
	3.UG	PKWA.217 X	12,95	0,4	5	60	120/x ✓
✓ 410	4.OG	Typ D', wie Top 310	84,96	65,19		71	
	3.UG	PKWA.241	16,23	0,4	6	77	154/x ✓
✓ 411	4.OG	Typ F, wie Top 311	67,72	54,43		59	
	3.UG	PKWA.249	13,72	0,4	5	64	128/x ✓
✓ 412	4.OG	Typ H, wie Top 312	83,70	71,95		77	
	2.UG	PKWA.11 X	12,70	0,4	5	82	164/x ✓
						0= 11812	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWERTUNG	NUTZWERT	SUMME NW.	ANTEIL
ÜBERTRAG						11812	
✓ 413	4.OG	Typ I, wie Top 313	81,92	63,78		70	
	2.UG	PKWA.10 X	12,70	0,4	5	75	150/x
✓ 414	4.OG	Typ J, wie Top 314	93,65	72,65		78	
	3.UG	PKWA.248 172	16,23	0,4	6	84	168/x
✓ 415	4.OG	Typ K, wie Top 315	58,60	48,04		52	
	3.UG	PKWA.250	13,72	0,4	5	57	114/x
✓ 416	4.OG	Typ G1, wie Top 316	87,27	73,58		80	
X	2.UG	PKWA.9 X	12,70	0,4	5	85	170/x
✓ 417	4.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.253 X	11,00	0,4	4	37	74/x
✓ 418	4.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.254 X	11,00	0,4	4	37	74/x
		AP 102 von Top 1104			+2	40	80
✓ 419	4.OG	Typ B, wie Top 317	38,58	30,28		33	
	2.UG	PKWA.19	12,00	0,4	5	38	76/x
✓ 420	4.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.184 X	10,67	0,4	4	37	74/x
✓ 421	4.OG	Typ C', wie Top 321	96,08	74,70		81	
	3.UG	PKWA.237 X	14,36	0,4	6	87	174/x
✓ 422	4.OG	Typ C, wie Top 322	96,08	74,70		81	
X	3.UG	PKWA.239 X	14,36	0,4	6	87	174/x
✓ 423	4.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.172 X 243	14,26	0,4	6	39	78/x
✓ 424	4.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.173	13,00	0,4	5	38	76/x
			902,08		0=	12513	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WEFT	SUMME NW.	ANTEIL
ÜBERTRAG						12815	
✓ 501	5.OG	Typ G, wie Top 301	83,83	69,77		76	
	2.UG	PKWA.1 ✓	14,85	0,4	6	82	164/x ✓
✓ 502	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.198	12,95	0,4	5	60	120/x ✓
✓ 503	5.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.240 x	16,52	0,4	7	78	156/x ✓
✓ 504	5.OG	Typ D, wie Top 304	84,96	65,19		71	
	3.UG	PKWA.242	16,52	0,4	7	78	156/x ✓
✓ 505	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.219 x	12,95	0,4	5	60	120/x ✓
✓ 506	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.221	12,95	0,4	5	60	120/x ✓
✓ 507	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.223 x	12,95	0,4	5	60	120/x ✓
✓ 508	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.225 x	12,95	0,4	5	60	120/x ✓
✓ 509	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.227 x	12,95	0,4	5	60	120/x ✓
✓ 510	5.OG	Typ D', wie Top 310	84,96	65,19		71	
✓	3.UG	PKWA.180 x	16,52	0,4	7	78	156/x ✓
✓ 511	5.OG	Typ F, wie Top 311	67,72	54,43		59	
✓	3.UG	PKWA.200	12,95	0,4	5	64	128/x ✓
✓ 512	5.OG	Typ H, wie Top 312	83,70	71,95		77	
	2.UG	PKWA.8 x	12,70	0,4	5	82	164/x ✓
			1025,81	0 =		13637	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						12815	
✓ 501	5.OG	Typ G, wie Top 301	82,83	69,77		76	
	2.UG	PKWA.1 ✓	14,85	0,4	8	82	164/x ✓
✓ 502	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.198	12,95	0,4	5	60	120/x ✓
✓ 503	5.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.240 x	16,52	0,4	7	78	156/x ✓
✓ 504	5.OG	Typ D, wie Top 304	84,96	65,19		71	
	3.UG	PKWA.242	16,52	0,4	7	78	156/x ✓
✓ 505	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.219 x	12,95	0,4	5	60	120/x ✓
✓ 506	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.221	12,95	0,4	5	60	120/x ✓
✓ 507	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.223 x	12,95	0,4	5	60	120/x ✓
✓ 508	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.225 x	12,95	0,4	5	60	120/x ✓
✓ 509	5.OG	Typ A, wie Top 302	64,32	50,50		55	
	3.UG	PKWA.227 x	12,95	0,4	5	60	120/x ✓
✓ 510	5.OG	Typ D', wie Top 310	84,96	65,19		71	
✓	3.UG	PKWA.180 x	16,52	0,4	7	78	156/x ✓
✓ 511	5.OG	Typ F, wie Top 311	67,72	54,43		59	
✓	3.UG	PKWA.200	12,95	0,4	5	64	128/x ✓
✓ 512	5.OG	Typ H, wie Top 312	83,70	71,95		77	
	2.UG	PKWA.8 x	12,70	0,4	5	82	164/x ✓
			1025,81	0 =		13637	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWERT	SUMMENW.	ANTEIL
ÜBERTRAG						13637	
✓ 513	5.OG	Typ I, wie Top 313	81,92	63,78		70	
	2.UG	PKWA.7 X	12,70	0,4	5	75	150/x
✓ 514	5.OG	Typ J, wie Top 314	93,65	72,45		78	
	3.UG	PKWA.244	14,56	0,4	6	84	168/x
✓ 515	5.OG	Typ K, wie Top 315	58,60	48,04		52	
	3.UG	PKWA.202 X	12,95	0,4	5	57	114/x
✓ 516	5.OG	Typ G1, wie Top 316	87,27	73,58		80	
X	2.UG	PKWA.2 X	14,85	0,4	6	86	172/x
✓ 517	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.204 X	12,95	0,4	5	38	76/x
✓ 518	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.206 X	12,95	0,4	5	38	76/x
✓ 519	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.208 X	12,44	0,4	5	38	76/x
✓ 520	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.210 X	11,42	0,4	5	38	76/x
✓ 521	5.OG	Typ C', wie Top 321	96,08	74,70		81	
X	3.UG	PKWA.246 X	14,56	0,4	6	87	174/x
✓ 522	5.OG	Typ C, wie Top 322	96,08	74,70		81	
X	3.UG	PKWA.248 ✓	14,56	0,4	6	87	174/x
✓ 523	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.212 X	12,95	0,4	5	38	76/x
✓ 524	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.214 ,	12,95	0,4	5	38	76/x
90592						0= 14341	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWERTUNG	NUTZWERT	SUMMENW.	ANTEIL
ÜBERTRAG						14341	
✓525	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.216 ✓	12,95	0,4	5	38	76/x
✓526	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.218 ✓	12,95	0,4	5	38	76/x
✓527	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.220 ✓	12,95	0,4	5	38	76/x
✓528	5.OG	Typ B2, wie Top 328	36,42	28,47		31	
	3.UG	PKWA.222 ✓	12,95	0,4	5	36	72/x
✓529	5.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.224 ✓	12,95	0,4	5	38	76/x
✓530	5.OG	Typ B1, wie Top 330	38,11	29,84		33	
	3.UG	PKWA.226 ✓	11,93	0,4	5	38	76/x
✓531	5.OG	Typ B1', wie Top 330	38,11	29,84		33	
	3.UG	PKWA.169 ✓	12,00	0,4	5	38	76/x
✓532	5.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.167 ✓	12,00	0,4	5	38	76/x
			406,22		0=	14643	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						14643	
✓601	6.OG	Typ G, wie Top 301	83,83	69,77		76	
X	2.UG	PKWA.72 X	12,95	0,4	5	81	162/x ✓
		<i>typenänderung</i>					
✓602	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.74	12,44	0,4	5	60	120/x ✓
✓603	6.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.185 83	16,52	0,4	7	78	156/x ✓
		<i>790706</i>			51	76	152
✓604	6.OG	Typ D, wie Top 304	84,96	65,19		71	
X	3.UG	PKWA.187 X	16,52	0,4	7	78	156/x ✓
✓605	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.76 X	11,42	0,4	5	60	120/x ✓
✓606	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.78	12,95	0,4	5	60	120/x ✓
✓607	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.80	12,95	0,4	5	60	120/x ✓
✓608	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.82 X	12,95	0,4	5	60	120/x ✓
✓609	6.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.84 X	12,95	0,4	5	60	120/x ✓
✓610	6.OG	Typ D', wie Top 310	84,96	65,19		71	
	3.UG	PKWA.181	16,52	0,4	7	78	156/x ✓
✓611	6.OG	Typ F, wie Top 311	67,72	54,43		59	
	2.UG	PKWA.86	12,95	0,4	5	64	128/x ✓
✓612	6.OG	Typ H, wie Top 312	83,70	71,95		77	
	2.UG	PKWA.88 X	12,95	0,4	5	82	164/x ✓
			1022,12			U= 15464	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						15464	
✓613	6.OG	Typ I, wie Top 313	84,92	63,78		70	
X	2.UG	PKWA.90 X	12,95	0,4	5	75	150/x
✓614	6.OG	Typ J, wie Top 314	93,65	72,45		78	
	3.UG	PKWA.105	14,36	0,4	6	84	168/x
✓615	6.OG	Typ K, wie Top 315	58,60	48,04		52	
	3.UG	PKWA.165	12,00	0,4	5	57	114/x
✓616	6.OG	Typ G1, wie Top 316	87,27	73,58		80	
X	2.UG	PKWA.92 X	11,93	0,4	5	85	170/x
✓617	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.179	12,00	0,4	5	38	76/x
✓618	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.178	12,00	0,4	5	38	76/x
✓619	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.177 X	12,00	0,4	5	38	76/x
✓620	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.153 y	12,00	0,4	5	38	76/x
X✓621	6.OG	Typ C', wie Top 321	96,08	74,70		81	
	3.UG	PKWA.238 y	15,23	0,4	6	87	174/x
X✓622	6.OG	Typ C, wie Top 322	96,08	74,70		81	
	3.UG	PKWA.236 X	17,81	0,4	7	88	176/x
✓623	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.154	12,00	0,4	5	38	76/x
✓624	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.155	12,00	0,4	5	38	76/x
			902,36		0=	16168	

BAUVORHABEN S A L Z A C H K A I
N U T Z W E R T - L I S T E

NENNER X = 48.172

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWERT	SUMME NW.	ANTEIL
ÜBERTRAG						16168	
✓ 625	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.156 ✓	11,85	0,4	5	38	76/x
✓ 626	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.157 x	11,85	0,4	5	38	76/x
✓ 627	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.158 x	11,85	0,4	5	38	76/x
✓ 628	6.OG	Typ B2, wie Top 328	36,42	28,47		31	
	3.UG	PKWA.159	12,00	0,4	5	36	72/x
✓ 629	6.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.161	12,00	0,4	5	38	76/x
✓ 630	6.OG	Typ B1, wie Top 330	38,11	29,84		33	
	3.UG	PKWA.163 x	12,00	0,4	5	38	76/x
✓ 631	6.OG	Typ B1', wie Top 330	38,11	29,84		33	
	3.UG	PKWA.160 y	12,48	0,4	5	38	76/x
✓ 632	6.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.162 ✓	12,48	0,4	5	38	76/x
			402,05		0 =	16470	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
UBERTRAG						16470	
✓701	7.OG	Typ G, wie Top 301	82,83	69,77		76	
X	2.UG	PKWA.77 x	11,42	0,4	5	81	162/x
✓702	7.OG	Typ A, wie Top 302	64,32	50,50		55	
	2.UG	PKWA.79	12,95	0,4	5	60	120/x
✓703	7.OG	Typ E, wie Top 303	84,96	65,19		71	
	3.UG	PKWA.189 ✓ Top 705	12,88	0,4	5	76	152/x
		82 x			✓		
✓704	7.OG	Typ D, wie Top 304	84,96	65,19		71	
	3.UG	PKWA.190	12,88	0,4	5	76	152/x
✓705	7.OG	Typ A, wie Top 302	64,32	50,50		55	
	2.UG	PKWA.81 189	12,95	0,4	5	60	120/x
		84 Top 703			✓		
✓706	7.OG	Typ A, wie Top 302	64,32	50,50		55	
	2.UG	PKWA.83 185	12,95	0,4	5	60	120/x
		Top 603			71	62	124
✓707	7.OG	Typ A, wie Top 302	64,32	50,50		55	
X	2.UG	PKWA.85 x	12,95	0,4	5	60	120/x
✓708	7.OG	Typ A, wie Top 302	64,32	50,50		55	
	2.UG	PKWA.87 ✓	12,95	0,4	5	60	120/x
✓709	7.OG	Typ A, wie Top 302	64,32	50,50		55	
	2.UG	PKWA.89 x	12,95	0,4	5	60	120/x
✓710	7.OG	Typ D', wie Top 310	84,96	65,19		71	
	2.UG	PKWA.45	12,00	0,4	5		
	2.UG	PKWA.64	12,95		5	81	162/x
✓711	7.OG	Typ F, wie Top 311	67,72	54,63		59	
	2.UG	PKWA.37 ✓	14,26	0,4	6	65	130/x
✓712	7.OG	Typ H, wie Top 312	83,10	71,95		77	
	2.UG	PKWA.91 x	12,95	0,4	5	82	164/x
			1025,09		0=	17291	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						17291	
✓713/	7.OG	Typ I, wie Top 313	81,92	63,72		70	
X	2.UG	PKWA.98 62 x Commi libertop Top P10	12,95	0,4	5	75	150/x
✓714	7.OG	Typ J, wie Top 314	92,65	72,45		78	
	3.UG	PKWA.108 X 60 oh 1/180 libertop Top P10	28,52	0,4	11	89	178/x
					5	83	166
✓715	7.OG	Typ K, wie Top 315	59,60	48,04		52	
	3.UG	PKWA.126 TOP 1008 66	13,59	0,4	5	57	114/x
✓716	7.OG	Typ G1, wie Top 316	87,27	73,58		80	
	2.UG	PKWA.70 X	12,95	0,4	5	85	170/x
✓717	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.164 X	12,48	0,4	5	38	76/x
✓718	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.166	12,48	0,4	5	38	76/x
✓719	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.168	12,48	0,4	5	38	76/x
✓720	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.170 X	12,48	0,4	5	38	76/x
✓721	7.OG	Typ C', wie Top 321	96,08	74,70		81	
	2.UG	PKWA.109 ✓	14,56	0,4	6	87	174/x
✓722	7.OG	Typ C, wie Top 322	96,08	74,70		81	
	2.UG	PKWA.110 X	14,56	0,4	6	87	174/x
✓723	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.121	14,35	0,4	6	39	78/x
✓724	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.123	14,35	0,4	6	39	78/x
921,83				0=		18001	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWE TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						18001	
✓725	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.125	12,70	0,4	5	38	76/x
✓726	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.127X	12,70	0,4	5	38	76/x
✓727	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.129	12,70	0,4	5	38	76/x
✓728	7.OG	Typ B2, wie Top 328	36,42	28,47		31	
	3.UG	PKWA.131	12,70	0,4	5	36	72/x
✓729	7.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.133 X	12,70	0,4	5	38	76/x
✓730	7.OG	Typ B1, wie Top 330	38,11	29,84		33	
	3.UG	PKWA.135 X	12,70	0,4	5	38	76/x
✓731	7.OG	Typ B1', wie Top 330	38,11	29,84		33	
	3.UG	PKWA.119 X	14,85	0,4	6	39	78/x
✓732	7.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.120 y	14,85	0,4	6	39	78/x
			411,44		0=	18305	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WEPT	SUMME NW.	ANTEIL
ÜBERTRAG						18305	
✓801	8.OG	Typ G, wie Top 301	83,83	69,77		76	
✓	2.UG	PKWA.61 X	13,26	0,4	5	81	162/x
✓802	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.63	13,26	0,4	5	60	120/x
✓803	8.OG	Typ U, 2 RM-WHG	52,12	1,0	52		
		AR	2,37	0,3	1		
		Balk.	14,43	0,3	4	57	
	2.UG	PKWA.65	12,95	0,4	5	82	164/x
✓804	8.OG	Typ T, 3 RM-WHG	78,80	1,0	79		
		AR	2,37	0,3	1		
		Balk.	20,37	0,3	6	86	
	2.UG	PKWA.103	14,36	0,4	6	92	184/x
✓805	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.67 X	12,95	0,4	5	60	120/x
✓806	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.69 ✓	12,95	0,4	5	60	120/x
✓807	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.71 112 Top 810	12,95	0,4	5	60	120/x
✓808	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.73	12,95	0,4	5	60	120/x
✓809	8.OG	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.75	12,44	0,4	5	60	120/x
✓810	8.OG	Typ T', SW, 3 RM-WHG	78,19	1,0	78		
		AR	2,37	0,3	1		
		Balk.	20,37	0,3	6	85	
	2.UG	PKWA.77 71	13,72	0,4	5	90	180/x
			854,98		0=	19010	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						19010	
✓811	8.OG	Typ V, 1 RM-WHG	41,36	1,0	41		
		AR	1,96	0,3	1		
		Log.	3,32	0,5	2		
		Balk.	5,04	0,3	2	46	
	3.UG	PKWA.130	13,59	0,4	5	51	102/x ✓
✓812	8.OG	Typ H, wie Top 312	83,70 71,95			77	
	2.UG	PKWA.52 X	11,61	0,4	5	82	164/x ✓
✓813	8.OG	Typ I, SW, 3 RM-WHG	63,26	1,0	63		
		AR	2,69	0,3	1		
		Balk.	15,45	0,3	5	69	
	2.UG	PKWA.192	19,84	0,4	8	77	154/x ✓
✓814	8.OG	Typ J, SW, 2 RM-WHG	72,64	1,0	73		
		AR	3,50	0,3	1		
		Balk.	17,70	0,3	5	79	
	3.UG	PKWA.191	19,84	0,4	8	87	174/x ✓
✓815	8.OG	Typ K, wie Top 315	59,60 48,04			52	
	3.UG	PKWA.128	13,59	0,4	5	57	114/x ✓
✓816	8.OG	Typ G1, wie Top 316	87,27 73,58			80	
X	2.UG	PKWA.54 X	11,61	0,4	5	85	170/x ✓
✓817	8.OG	Typ B, wie Top 317	38,58 30,28			33	
	2.UG	PKWA.96	11,50	0,4	5	38	76/x ✓
✓818	8.OG	Typ B', wie Top 318	38,58 30,28			33	
	2.UG	PKWA.97	11,50	0,4	5	38	76/x ✓
✓819	8.OG	Typ B, wie Top 317	38,58 30,28			33	
	2.UG	PKWA.98	12,31	0,4	5	38	76/x ✓
✓820	8.OG	Typ B', wie Top 318	38,58 30,28			33	
	3.UG	PKWA.132 X	13,59	0,4	5	38	76/x ✓
			750,79	0 =		19601	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWER TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						19601	
✓ 821	8.OG	Typ C', wie Top 321	96,08	74,70		81	
	2.UG	PKWA.17 ✓	16,45	0,4	7	88	176/x ✓
✓ 822	8.OG	Typ C, wie Top 322	96,08	74,70		81	
	2.UG	PKWA.18	16,45	0,4	7	88	176/x ✓
✓ 823	8.OG	Typ B, wie Top 317	38,58	30,28		33	
/	3.UG	PKWA.134 x	13,59	0,4	5	38	76/x ✓
✓ 824	8.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.136 x	13,59	0,4	5	38	76/x ✓
✓ 825	8.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.143	13,59	0,4	5	38	76/x ✓
✓ 826	8.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.144 x	13,59	0,4	5	38	76/x ✓
✓ 827	8.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.145	13,59	0,4	5	38	76/x ✓
✓ 828	8.OG	Typ B2, wie Top 328	36,42	28,47		31	
	3.UG	PKWA.146	13,59	0,4	5	36	72/x ✓
✓ 829	8.OG	Typ B, wie Top 317	38,58	30,28		33	
	3.UG	PKWA.147 x	13,59	0,4	5	38	76/x ✓
✓ 830	8.OG	Typ B1, wie Top 330	38,41	29,84		33	
	3.UG	PKWA.148 x	13,59	0,4	5	38	76/x ✓
✓ 831	8.OG	Typ B1', wie Top 330	38,41	29,84		33	
	3.UG	PKWA.255 x	14,88	0,4	6	39	78/x ✓
✓ 832	8.OG	Typ B', wie Top 318	38,58	30,28		33	
	3.UG	PKWA.256 x	14,88	0,4	6	39	78/x ✓
			746,24		0=	20157	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWE- TUNG	NUTZ WERT	SUMME NW.	ANTEIL
ÜBERTRAG						20895	
✓ 912	9.OG	Typ L1, SW, 2 RM-WHG	65,73	1,0	66		
		AR	1,75	0,3	1		
		Terr.	106,63	0,1	11	78	
	2.UG	PKWA.13	13,78	0,4	6		
	2.UG	PKWA.14	16,43	0,4	7	91	182/x ✓
			204,32				
✓ 913	9.OG	Typ M1, 2 RM-WHG	59,68	1,0	60		
		AR	1,75	0,3	1		
		Terr.	99,63	0,1	10	71	
	2.UG	PKWA.33	12,00	0,4	5	76	152/x ✓
		+ 1.UG 307, 308, 309 / G1	173,06		18		198
✓ 914	9.OG	Typ N1, 3 RM-WHG	69,46	1,0	69		
		AR	1,67	0,3	1		
		Log.	1,67	0,5	1		
		Terr.	120,18	0,1	12	83	
	2.UG	PKWA.35 ✓	12,00	0,4	5	88	176/x ✓
			294,98				
✓ 915	9.OG	Typ B, 1 RM-WHG	30,28	1,0	30		
		AR	1,75	0,3	1		
		Log.	2,23	0,5	1		
X		Balk.	3,43	0,3	1	33	
	2.UG	PKWA.6 ✓	11,77	0,4	5	38	76/x ✓
✓ 916	9.OG	Typ B', wie Top 915	37,69	30,28		33	
X	2.UG	PKWA.15 ✓	11,77	0,4	5	38	76/x ✓
✓ 917	9.OG	Typ B, wie Top 915	37,69	30,28		33	
	2.UG	PKWA.16 ✓	11,77	0,4	5	38	76/x ✓
✓ 918	9.OG	Typ B', 1 RM-WHG	30,28	1,0	30		
		AR	1,68	0,3	1		
		Log.	2,23	0,5	1		
		Balk.	3,43	0,3	1	33	
	2.UG	PKWA.57 X	19,84	0,4	8	41	82/x ✓
			788,20		0 =	21305	

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWERT	SUMMENW.	ANTEIL
ÜBERTRAG						21305	
✓ 919	9.0G	Typ C', 3 RM-WHG	74,70	1,0	75		
		AR	1,75	0,3	1		
		Balk.	17,92	0,3	5	81	
	2.UG	PKWA.80 PKWA.80 <i>Commod</i>	13,26	0,4	5	86	172/x
		36 <i>Top 914</i>			-5	81	162
✓ 920	9.0G	Typ C, wie Top 919	94,37	74,70		81	
	2.UG	PKWA.82 PKWA.82 <i>93</i>	13,26	0,4	5	86	172/x
		<i>Top 913</i>					
✓ 921	9.0G	Typ B, wie Top 915	37,69	30,28		33	
	2.UG	PKWA.94 PKWA.94 <i>x</i>	11,48	0,4	5	38	76/x
✓ 922	9.0G	Typ B', wie Top 915	37,69	30,28		33	
	2.UG	PKWA.95	11,48	0,4	5	38	76/x
✓ 923	9.0G	Typ B, wie Top 915	37,69	30,28		33	
	2.UG	PKWA.99 PKWA.99 <i>x</i>	12,31	0,4	5	38	76/x
✓ 924	9.0G	Typ B', wie Top 915	37,69	30,28		33	
	2.UG	PKWA.100 PKWA.100 <i>x</i>	13,46	0,4	5	38	76/x
✓ 925	9.0G	Typ B, wie Top 915	37,69	30,28		33	
	2.UG	PKWA.101	12,54	0,4	5	38	76/x
✓ 926	9.0G	Typ B2, 1 RM-WHG	28,47	1,0	28		
		AR	1,75	0,3	1		
		Log.	2,10	0,5	1		
		Balk.	3,43	0,3	1	31	
	2.UG	PKWA.38 PKWA.38 <i>38 75</i>	14,26	0,4	6	37	74/x
✓ 927	9.0G	Typ B, wie Top 915	37,69	30,28		33	
	2.UG	PKWA.39 PKWA.39 <i>x</i>	13,00	0,4	5	38	76/x
✓ 928	9.0G	Typ B1, 1 RM-WHG	29,84	1,0	30		
		AR	1,67	0,3	1		
		Log.	2,20	0,5	1		
		Balk.	3,43	0,3	1	33	
	2.UG	PKWA.40 PKWA.40 <i>x</i>	13,00	0,4	5	38	76/x
						21780	

28

28

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWERT	SUMME NW.	ANTEIL
ÜBERTRAG						21856	
✓1001	10.0G	Typ G2, 2 RM-WHG	66,62	1,0	67		
		AR	3,08	0,3	1		
		Log.	3,60	0,5	2		
		Balk.	11,40	0,3	3	73	
	2.UG	PKWA.26 ✓	12,48	0,4	5	78	156/x ✓
✓1002	10.0G	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.28	12,48	0,4	5	60	120/x ✓
✓1003	10.0G	Typ E, wie Top 303	84,96	65,19		71	
	2.UG	PKWA.53	16,52	0,4	7	78	156/x ✓
✓1004	10.0G	Typ D, SW, 2 RM-WHG	65,20	1,0	65		
		AR	2,37	0,3	1		
		Balk.	17,40	0,3	5	71	
	2.UG	PKWA.55	12,88	0,4	5	76	152/x ✓
			97,55				
✓1005	10.0G	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.56	12,88	0,4	5	60	120/x ✓
✓1006	10.0G	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.30 ✓	12,48	0,4	5	60	120/x ✓
✓1007	10.0G	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.32 → 11 32 note	12,48	0,4	5	60	120/x ✓
		124					
✓1008	10.0G	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.34 x 11 : : note	12,48	0,4	5	60	120/x ✓
		35 x (Wahlzettel) 126			5		
✓1009	10.0G	Typ A, wie Top 302	61,32	50,50		55	
	2.UG	PKWA.36 note 314	12,48	0,4	5	60	120/x ✓
		+ PKU A 2 1/2 note 315			5	65	120
✓1010	10.0G	Typ T, wie Top 804	101,54	78,80		86	
	2.UG	PKWA.107	16,52	0,4	7	93	186/x ✓
			957,77		0 =	22541	

3

BAUVORHABEN S A L Z A C H K A I
N U T Z W E R T - L I S T E

NENNER X = 48.172

TOP	LAGE	WIDMUNG	FLÄCHE	BEWEERTUNG	NUTZWEERT	SUMME NW.	ANTEIL
ÜBERTRAG						23845	
C 2 ✓	1.UG	Garage 202 (1)	14,35	0,6	9	9	18/x
C 3 ✓	1.UG	Garage 203 (1)	14,35	0,6	9	9	18/x
C 4 ✓	1.UG	Garage 204 (2)	25,18	0,6	15	15	30/x
C 5 ✓	1.UG	Garage 206 (4)	50,36	0,6	30	30	60/x
C 6 ✓	1.UG	Garage 006 (6/15)	75,54	0,6	45	45	90/x
J 2 ✓	1.UG	Garage 022 (4) = Tonnbrunn	50,33	0,6	30	30	60/x
(N) ✓	1.UG	Garage 017 (2)	39,68	0,6	24	24	48/x
(S) ✓	1.UG	Garage 021 (1)	23,31	0,6	14	14	28/x
(W) ✓	1.UG	Garage 012 (5)	61,08	0,6	37	37	74/x
(X) ✓	1.UG	Garage 004 (1)	17,81	0,6	11	11	22/x
59 ✓	2.UG	Garage Top 1106	28,52	0,6	17	17	34/x
			371,00	400,54		24086	48172=x
					-	Holz	25
				28.254,50			
			* 45.276	Schl. 1/34	-	Holz	25
			Holz - 1.636			*	45.276
			Stadel - 154		-	Stadel	154
			<u>43.486</u>			*	43.486
			* 44.316	Schl. 2/34	-	Holz	1.636
			Holz - 1.636		-	Stadel	154
			Stadel - 154				42.526
			42.526				