

5	o,ho	40
	I, I+, II	
	Ⓐ GH: 5,50 FH: 9,00 Ⓑ GH: 7,00 FH: 8,00	Ⓐ S,W 0-45° F,P 0-20° Ⓑ S,W,F,P 0-20°
	Z.GH 2	Z.GH 3    Z.BL 3

8	
	G FH

~~|    |                                                  |                                                |
|----|--------------------------------------------------|------------------------------------------------|
| 5b | o,ho                                             | 40                                             |
|    | I, I+, II                                        |                                                |
|    | Ⓐ GH: 5,50<br>FH: 9,00<br>Ⓑ GH: 7,00<br>FH: 8,00 | Ⓐ S,W 0-45°<br>F,P 0-20°<br>Ⓑ S,W,F,P<br>0-20° |
|    | Z.GH 2                                           | Z.GH 3    Z.BL 3                               |~~

8a	
	G F

~~|    |                                                  |                                                |
|----|--------------------------------------------------|------------------------------------------------|
| 5c | o,ho                                             | 40                                             |
|    | I, I+, II                                        |                                                |
|    | Ⓐ GH: 5,50<br>FH: 9,00<br>Ⓑ GH: 7,00<br>FH: 8,00 | Ⓐ S,W 0-45°<br>F,P 0-20°<br>Ⓑ S,W,F,P<br>0-20° |
|    | Z.GH 2                                           | Z.GH 3                                         |~~